ELSEVIER

Talanta 48 (1999) 1221–1228

Talanta

# Volume Contents

## Volume 48 (1999)

**No. 1** **January 1999**

Studies on 2-(2-thiazolylazo)-5-diethylaminophenol as a precolumn derivatizing reagent in the separation of platinum group metals by high performance liquid chromatography
H. Wang, H.-S. Zhang and J.-K. Cheng (Wuhan, People's Republic of China) . . . . . 1

A new sensitive reagent for identifying and determining $Cu^{2+}$
D. Ma, D. Xia, F. Cui, J. Li and Y. Wang (Henan, People's Republic of China) . . . . . 9

Room temperature phosphorescence of 1-naphtalenacetamide included in $\beta$-cyclodextrin in presence of 1,3-dibromopropane
A. Muñoz de la Peña, M.C. Mahedero, A. Espinosa-Mansilla, A. Bautista Sánchez (Badajoz, Spain) and M. Reta (Rio Cuarto, Argentina) . . . . . 15

pH-ISEs with an expanded measuring range based on calix[4]arenes: specific features of the behaviour and description of the electrode response
V.V. Egorov and Y.V. Sin'kevich (Minsk, Belarus) . . . . . 23

Determination of platinum and ruthenium in Pt and Pt–Ru catalysts with carbon support by direct and derivative spectrophotometry
M. Balcerzak, E. Świecicka and E. Balukiewicz (Warsaw, Poland) . . . . . 39

Separation and preconcentration of metal ions and their estimation in vitamin, steel and milk samples using *o*-vanillin-immobilized silica gel
B.S. Garg, R.K. Sharma, J.S. Bist, N. Bhojak and S. Mittal (Delhi, India) . . . . . 49

Separation and determination of fluoride in plant samples
H.B. Li and X.R. Xu (Beijing, People's Republic of China) . . . . . 57

Direct determination of cadmium in calcium drug samples using electrothermal atomic absorption spectrometry with a metal tube atomizer and thiourea as a matrix modifier
S. Ahsan, S. Kaneco, K. Ohta, T. Mizuno and Y. Taniguchi (Mie, Japan) . . . . . 63

Titrations in non-aqueous media: potentiometric investigation of symmetrical and unsymmetrical tetra-aryl porphyrins with 4-nitrophenyl and 4-aminophenyl substituents in nitrobenzene solvent
N. Gündüz, T. Gündüz and M. Hayvali (Ankara, Turkey) . . . . . 71

Critical assessment of the parameters that affect the selection of coating compounds for piezoelectric quartz crystal microbalances
M.T.S.R. Gomes, A.C. Duarte and J.A.B.P. Oliveira (Aveiro, Portugal) . . . . . 81

Determination of ion exchange equilibrium constants of strongly acidic resins with alkaline-earth metals by means of the potentiometric titrations technique
G. Borge, G. Arana, L.A. Fernández and J.M. Madariaga (Bilbao, Spain) . . . . . 91

Sensitive flow injection colorimetry of nitrite by catalytic coupling of *N*-phenyl-*p*-phenylenediamine with *N*,*N*-dimethylaniline
R. Kadowaki, S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) . . . . . 103

Detection of artefacts and peak identification in reversed-phase HPLC of metallothioneins by electrospray mass spectrometry
H. Chassaigne and R. Łobiński (Pau, France) . . . . . 109

Binding of polyanions by biogenic amines. III. Formation and stability of protonated spermidine and spermine complexes with carboxylic ligands
A. De Robertis, C. De Stefano (Messina (Vill. S. Agata), Italy), A. Gianguzza (Palermo, Italy) and S. Sammartano (Messina (Vill. S. Agata), Italy) . . . . . 119
Simple and rapid enzymatic assay of ornithine decarboxylase activity
L. Badolo, V. Berlaimont, M. Helson-Cambier, M. Hanocq and J. Dubois (Brussels, Belgium) . . . . 127
Potentiometric flow titration of iron(II) and chromium(VI) based on flow rate ratio of a titrant to a sample
H. Katsumata, N. Teshima, M. Kurihara and T. Kawashima (Tsukuba, Japan) . . . . . 135
Decomposition mechanism of an artemisinin-type compound via hemin-electrocatalysis
H.-Y. Chen, Y. Chen, S.-M. Zhu, N.-S. Bian (Nanjing, China), F. Shan and Y. Li (Shanghai, China) 143
Solubility and thermal stability of some amino–mellitate compounds
R. Curini (Rome, Italy), A. De Robertis, C. Foti (Messina (Vill. S. Agata), Italy), S. Materazzi and M.A. Orrù (Rome, Italy) . . . . . 151
Extraction photometric determination of yperite by phthaleins
E. Halámek and Z. Kobliha (Vyškov, Czech Republic) . . . . . 163
Determination of low molecular weight organic acids in soil solution by HPLC
P.A.W. van Hees (Sundsvall, Sweden), J. Dahlén (Linköping, Sweden), U.S. Lundström, H. Borén (Sundsvall, Sweden) and B. Allard (Linköping, Sweden) . . . . . 173
Synthesis and complexation behavior of *N*-(1-naphthylmethyl)-1,4,7,10,13-pentaoxa-16-azacyclooctadecane
K. Kubo (Fukuoka, Japan), R. Ishige, J. Kubo and T. Sakurai (Yokohama, Japan) . . . . . 181
Kinetics and mechanism of amitraz hydrolysis in aqueous media by HPLC and GC-MS
E. Corta, A. Bakkali, L.A. Berrueta, B. Gallo and F. Vicente (Bibao, Spain) . . . . . 189
Simultaneous detection of three drugs labeled by cationic metal complexes at a nafion-loaded carbon paste electrode
A.-L. Bordes, B. Schöllhorn, B. Limoges and C. Degrand (Aubière, France) . . . . . 201
Determination of lasalocid with sensitized terbium(III) luminescence detection
M.P. Aguilar-Caballos, A. Gómez-Hens and D. Pérez-Bendito (Córdoba, Spain) . . . . . 209
Spectrophotometric determination of copper(II) at low $\mu g\ l^{-1}$ levels using cation-exchange microcolumn in flow-injection
İ. Işıldak, A. Asan and M. Andaç (Samsun, Turkey) . . . . . 219

*Short communication*
Chemiluminescence flow system for the determination of ammonium ion
W. Qin (Xi'an, Nanjing, People's Republic of China), Z. Zhang, B. Li and Y. Peng (Xi'an, People's Republic of China) . . . . . 225

*Letter to the Editors*
Evaluation of the Procedure for Alkaline Digestion: Solvent Estimation for Methyl Mercury Artifact Formation
L. Liang and S. Lazoff (Seattle, WA, USA) . . . . . 231

**No. 2** **February 1999**

*Editorial* . . . . . 255

*Review*
Membrane filtration studies of aquatic humic substances and their metal species: a concise overview. Part 2. Evaluation of conditional stability constants by using ultrafiltration
T.I. Nifant'eva, V.M. Shkinev, B.Y. Spivakov (Moscow, Russia) and P. Burba (Dortmund, Germany) . 257

*Regular*
Selective measurement of chromium(VI) by fluorescence quenching of ruthenium
T.M.A. Razek, S. Spear (Iowa, IA, USA), S.S.M. Hassan (Cairo, Egypt) and M.A. Arnold (Iowa, IA, USA) . . . . . 269
Determination of trace chromium(VI) and molybdenum(VI) in natural and bottled mineral waters using long pathlength absorbance spectroscopy (LPAS)
W. Yao and R.H. Byrne (St. Petersburg, FL, USA) . . . . . 277
Simultaneous spectrophotometric determination of Fe and Ni with xylenol orange using principal component analysis and artificial neural networks in some industrial samples
M. Kompany-Zareh, A. Massoumi and S. Pezeshk-Zadeh (Tehran, Iran) . . . . . 283

Reactivity of NASICON with water and interpretation of the detection limit of a NASICON based $Na^+$ ion selective electrode
F. Mauvy, E. Siebert and P. Fabry (Saint Martin d'Hères, France) . . . . . 293
Diode lasers in analytical chemistry
T. Imasaka (Fukuoka, Japan) . . . . . 305
Alcohol sensing membrane based on immobilized ruthenium(II) complex in carboxylated PVC and surface covalently bonded alcohol oxidase
R.C.W. Lau, M.M.F. Choi and J. Lu (Hong Kong, People's Republic of China) . . . . . 321
Comparison of microwave-assisted extraction of triazines from soils using water and organic solvents as the extractants
G. Xiong, B. Tang, X. He, M. Zhao, Z. Zhang and Z. Zhang (Guangzhou, People's Republic of China) . 333
Polarographic determination of cyanide as contaminant in pralidoxime mesylate formulations
P.C. do Nascimento, D. Bohrer and L.M. de Carvalho (RS, Brazil) . . . . . 341
Modification of iodometric determination of total and reactive sulfide in environmental samples
Z. Pawlak (Salt Lake City, UT, USA) and A.S. Pawlak (Houston, TX, USA) . . . . . 347
Differential pulse polarographic determination of tin in alloys and environmental samples after preconcentration with the ion pair of 2-nitroso-1-naphthol-4-sulfonic acid and tetradecyldimethylbenzylammonium chloride onto microcrystalline naphthalene or by column method
M.A. Taher (Kerman, Iran) and B.K. Puri (New Delhi, India) . . . . . 355
A novel biosensor for specific determination of hydrogen peroxide: catalase enzyme electrode based on dissolved oxygen probe
S. Akgöl and E. Dinçkaya (Bornova-Izmir, Turkey) . . . . . 363
Colour reaction of chromium (VI) with *N,N*-diethyl-1,4-phenylenediame in the presence of ethanol and cyclohexyldiamine tetraacetic acid as well as its application in the species analysis of chromium
M. Zhang, Q. Zhang, Z. Fang (Changsha, People's Republic of China) and Z. Lei (Shuikoushan, People's Republic of China) . . . . . 369
Application of the effects of solvent and dissolved oxygen on the determination of benzo[*a*]pyrene by constant-wavelength synchronous spectrofluorimetry in smoke-flavouring
M.S.G. Falcón, S.G. Amigo, M.A.L. Yusty, B.L. Lage and J.S. Lozano (Santiago de Compostela, Spain) . . . . . 377
Quantitative measurements of ammonium, hydrogenophosphate and Cu(II) by diffuse reflectance spectrometry
A. Ghauch (Savoie Technolac, France), J. Rima (Jedeidet el Metn BP, Libya), A. Charef, J. Suptil, C. Fachinger and M. Martin-Bouyer (Savoie Technolac, France) . . . . . 385
Equilibrium studies of mercury(II) complexes with penicillamine
H. Kõszegi-Szalai and T.L. Paál (Budapest, Hungary) . . . . . 393
Acid volatile sulfide determination in sediments using elemental analyzer with thermal conductivity detector
H.D. Fiedler (Santa Catarina, Brazil), R. Rubio, G. Rauret and I. Casals (Barcelona, Spain) . . . . . 403
Cloud-point preconcentration of fulvic and humic acids
R.L. Revia and G.A. Makharadze (Tbilisi, Georgia) . . . . . 409
Determination of methylamphetamine and related compounds in human urine by high performance liquid chromatography/electrospray/mass spectrometry
M.-R.S. Fuh and K.-T. Lu (Taipei, Taiwan, ROC) . . . . . 415
Studies of spline wavelet least square in processing electrochemical signals
X. Zheng, J. Mo and T. Xie (Guangzhou, PR China) . . . . . 425
High performance liquid chromatographic determination of *N*-nitrosoamines by pre-column fluorescence derivatization with acridone-*N*-acetyl chloride
J. You, X. Fan, W. Lao, Q. Ou (Lanzhou, PR China) and Q. Zhu (Shandong, PR China) . . . . . 437
Headspace solid phase microextraction (HSSPME) for the determination of volatile and semivolatile pollutants in soils
M. Llompart (Santiago de Compostela, Spain), K. Li and M. Fingas (Ottawa, ON, Canada) . . . . . 451

Evaluation of luminol–$H_2O_2$–$KIO_4$ chemiluminescence system and its application to hydrogen peroxide, glucose and ascorbic acid assays
Y. Zhou, T. Nagaoka (Ube, Japan), F. Li and G. Zhu (Changchun, PR China) . . . . . 461
Simultaneous determination of naproxen, salicylic acid and acetylsalicylic acid by spectrofluorimetry using partial least-squares (PLS) multivariate calibration
A. Navalón, R. Blanc, M. del Olmo and J.L. Vilchez (Granada, Spain) . . . . . 469
On-line high-performance liquid-chromatographic separation and cold vapor atomic absorption spectrometric determination of methylmercury and inorganic mercury
S. Río-Segade and C. Bendicho (Vigo, Spain) . . . . . 477
Experimental study of kinematic focusing. Comparison of electroinjection and sequential injection determination of copper
V.P. Andreev, N.B. Ilyina (St. Petersburg, Russian Federation), D.A. Holman, L.D. Scampavia and G.D. Christian (Seattle, WA, USA) . . . . . 485

*Short communication*
Catalytic hydrogen evolution in the presence of methylthiohydantoin–glycine and cobalt(II) ion: a study by cathodic stripping voltammetry at a hanging mercury drop electrode
F.G. Bănică (Trondheim, Norway) and N. Spătaru (Bucharest, Romania) . . . . . 491

Erratum . . . . . 495

**No. 3** **March 1999**

*Editorial* . . . . . 499

*Regular articles*
Advantages and limitations of thermal lens spectrometry over conventional spectrophotometry for absorbance measurements
J. Georges (Villeurbanne, France) . . . . . 501
Spectrophotometric determination of lead in biological samples with dibromo-*p*-methyl-methylsulfonazo
Z. Li, Z. Zhu, Y. Chen (Wuxi, People's Republic of China), C.-G. Hsu and Jiaomai Pan (Shanghai, People's Republic of China) . . . . . 511
Determination of rare earth impurities in high purity gadolinium oxide by inductively coupled plasma mass spectrometry after 2-ethylhexylhydrogen-ethylhexy phosphonate extraction chromatographic separation
X. Cao (Beijing, Hefei, People's Republic of China), M. Yin and B. Li (Beijing, People's Republic of China) . . . . . 517
Uptake and extraction chromatographic separation of mercury(II) by triisobutylphosphine sulfide (TIBPS) sorbed on silica gel and decontamination of mercury containing effluent
R. Singh, A.R. Khwaja, B. Gupta and S.N. Tandon (Roorkee, India) . . . . . 527
Determination of cadmium in hair and blood by tungsten coil electrothermal atomic absorption spectrometry with chemical modifiers
C.G. Bruhn, J.Y. Neira, G.D. Valenzuela (Concepción, Chile) and J.A. Nóbrega (Sao Carlos, SP, Brazil) 537
Optical chromatography: Size determination by eluting particles
J. Makihara, T. Kaneta and T. Imasaka (Fukuoka, Japan) . . . . . 551
Extraction of sodium and potassium picrates with 16-crown-5 into various diluents. Elucidation of fundamental equilibria determining the extraction selectivity for $Na^+$ over $K^+$
Y. Takeda, C. Takagi, S. Nakai, K. Endo and S. Katsuta (Chiba, Japan) . . . . . 559
Chemiluminescence determination of sulfite in sugar and sulfur dioxide in air using Tris(2,2′-bipyridyl)ruthenium(II)-permanganate system
H. Meng, F. Wu, Z. He and Y. Zeng (Wuhan, PR China) . . . . . 571
Sorption behaviour of lanthanum(III), neodymium(III), terbium(III), thorium(IV) and uranium(VI) on Amberlite XAD-4 resin functionalized with bicine ligands
K. Dev, R. Pathak and G.N. Rao (New Delhi, India) . . . . . 579
Moisture induced solid phase degradation of L-ascorbic acid: Part 1: a kinetic study using tristimulus colorimetry and a quantitative HPLC assay
A.B. Shephard, S.C. Nichols and A. Braithwaite (Nottingham, UK) . . . . . 585

Moisture induced solid phase degradation of L-ascorbic acid part 2, separation and characterization of the major degradation products
A.B. Shephard, S.C. Nichols and A. Braithwaite (Nottingham, UK) . . . . . 595
Moisture induced solid phase degradation of L-ascorbic acid part 3, structural characterisation of the degradation products
A.B. Shephard, S.C. Nichols and A. Braithwaite (Nottingham, UK) . . . . . 607
Non-extractive derivative spectrophotometric determination of cobalt in neutral micellar medium
H.B. Singh, N.K. Agnihotri and V.K. Singh (Delhi, India) . . . . . 623
The solubility of toluene in aqueous salt solutions
S.R. Poulson, R.R. Harrington and J.I. Drever (Laramie, WY, USA). . . . . 633
Piezoelectric detection of ion pairs between sulphonate and catecholamines for flow injection analysis of pharmaceutical preparations
M. Zhihong, L. Xiaohui and Z. Minjuan (Chongqing, China) . . . . . 643
Design of Schiff base complexes of Co(II) for the preparation of iodide-selective polymeric membrane electrodes
R. Yuan, Y.-Q. Song, Y.-Q. Chai, S.-X. Xia, Q.-Y. Zhong, B. Yi, M. Ying, G.-L. Shen and R.-Q. Yu (Changsha, China). . . . . 649
Flow injection turbidimetric determination of thiamine in pharmaceutical formulations using silicotungstic acid as precipitant reagent
C.O. Costa-Neto, A.V. Pereira, C. Aniceto and O. Fatibello-Filho (São Carlos, Brazil) . . . . . 659
Determination of sulfate ion by potentiometric back-titration using sodium tetrakis (4-fluorophenyl) borate as a titrant and a titrant-sensitive electrode
T. Masadome and Y. Asano (Fukuoka, Japan). . . . . 669
Wet effluent parallel plate diffusion denuder coupled capillary ion chromatograph for the determination of atmospheric trace gases
C.B. Boring, S.K. Poruthoor and P.K. Dasgupta (Lubbock, TX, USA). . . . . 675
Kinetic study on the acidic hydrolysis of lorazepam by a zero-crossing first-order derivative UV-spectrophotometric technique
H.A. Archontaki, K. Atamian, I.E. Panderi and E.E. Gikas (Athens, Greece) . . . . . 685
Atomization of Al in a tungsten coil electrothermal atomic absorption spectrophotometer
P.O. Luccas, J.A. Nóbrega, P.V. Oliveira and F.J. Krug (São Carlos, Brazil) . . . . . 695
Cesium-ion selective electrodes based on calix[4]arene dibenzocrown ethers
J.S. Kim, A. Ohki, R. Ueki, T. Ishizuka, T. Shimotashiro and S. Maeda (Nonsan, South Korea) . . 705
Analysis of haloacetic acid mixtures by HPLC using an electrochemical detector coated with a surfactant-nafion film
H. Carrero and J.F. Rusling (Storrs, CT, USA) . . . . . 711
Simultaneous spectrofluorimetric determination of the rare earths with calcein
I. Berregi, J. Senén Durand and J. Alfonso Casado (Donostia/San Sebastián, Spain) . . . . . 719

*Short communication*
Intra-laboratory testing of method accuracy from recovery assays
A.G. González, M.A. Herrador and A.G. Asuero (Seville, Spain) . . . . . 729

Book Reviews . . . . . 737

**No. 4** **April 1999**

*Editorial*. . . . . 745

Cryo-trapping/SPME/GC analysis of cheese aroma
B. Jaillais, V. Bertrand and J. Auger (Tours, France) . . . . . 747
Sample preparation of atmospheric aerosol for the determination of carbonyl compounds
G. Kiss, B. Varga, Z. Varga Puchony, A. Gelencsér, Z. Krivácsy and J. Hlavay (Veszprém, Hungary) 755

Speciation of arsenic in mussels by the coupled system liquid chromatography—UV irradiation—hydride generation-inductively coupled plasma mass spectrometry
T. Dagnac, A. Padró, R. Rubio and G. Rauret (Barcelona, Spain) . . . . . 763
Raman spectroscopic determination of inosine nucleoside in nucleotides
R. Escobar (Sevilla, Spain), P. Carmona, A. Rodríguez-Casado and M. Molina (Madrid, Spain) . . . 773
Chemometric analysis of skeletal data from non-fused and non-$\pi$-complexed pentafulvenes
X. Tomas (Barcelona, Spain), J. Manuel Andrade (La Coruña, Spain) and A. Alvarez-Larena (Barcelona, Spain) . . . . . 781
Classification of edible vegetables affected by different traffic intensities using potential curves
A. Carlosena, J.M. Andrade (La Coruña, Spain), X. Tomas (Barcelona, Spain), E. Fernandez and D. Prada (La Coruña, Spain) . . . . . 795
New developments in immunochemical water analysis down to 30 $\mu$l sample volume
U. Pfeifer-Fukumura, I. Hartmann, H. Holthues and W. Baumann (Mainz, Germany) . . . . . 803
Radioanalytical determination of actinides and fission products in Belarus soils
H. Michel, J. Gasparro, G. Barci-Funel, J. Dalmasso, G. Ardisson (Nice Cédex, France) and G. Sharovarov (Minsk, Belarus) . . . . . 821
Analytical characterisation of a capacitively coupled plasma torch with a central tube electrode
E.A. Cordos, T. Frentiu, A.-M. Rusu, S.D. Angel, A. Fodor and M. Ponta (Cluj-Napoca, Romania) 827
Preconcentration of platinum group metals on modified silicagel and their determination by inductively coupled plasma atomic emission spectrometry and inductively coupled plasma mass spectrometry in airborne particulates
R. Vlašánkova, V. Otruba (Brno, Czech Republic), J. Bendl (Prague, Czech Republic), M. Fišera and V. Kanický (Brno, Czech Republic) . . . . . 839
Analytical monitoring of photocatalytic treatments. Degradation of 2,3,6-trichlorobenzoic acid in aqueous $TiO_2$ dispersions
A. Bianco Prevot and E. Pramauro (Torino, Italy) . . . . . 847
Comparison of some analytical performance characteristics in inductively coupled plasma spectrometry of platinum group metals and gold
V. Kanický, V. Otruba (Brno, Czech Republic) and J.-M. Mermet (Villeurbanne Cedex, France) . . . 859

*Short communication*
Measurement of sugar content by multidimensional analysis and mid-infrared spectroscopy
F. Cadet (La Réunion, France) . . . . . 867

*Regular Papers*
Use of the triiodide–hexadecylpyridinium chloride micellar system for the kinetic determination of tungsten (VI)
F. Shemirani, A.R. Asghari and M.A. Hajimoosa (Tehran, Iran) . . . . . 879
Determination of bismuth in biological samples using on-line flow-injection microwave-assisted mineralization and precipitation/dissolution for electrothermal atomic absorption spectrometry
J.L. Burguera, M. Burguera, C. Rivas, C. Rondon, P. Carrero and M. Gallignani (Mérida, Venezuela) 885
Simultaneous spectrophotometric determination of tartrazine, patent blue V, and indigo carmine in commercial products by partial least squares and principal component regression methods
J.J.B. Nevado, J.R. Flores, M.J.V. Llerena and N.R. Fariñas (Ciudad Real, Spain) . . . . . 895
Determination of molybdenum, chromium and aluminium in human urine by electrothermal atomic absorption spectrometry using fast-programme methodology
N. Campillo, P. Viñas, I. López-García and M. Hernández-Córdoba (Murcia, Spain) . . . . . 905
Equilibrium studies of the binary and ternary complexes involving tetracycline and amino acid or DNA constituents
W.M. Hosny, S.M. El-Medani and M.M. Shoukry (Giza, Egypt) . . . . . 913
Simple and specific method for flow injection analysis determination of cationic surfactants in environmental and commodity samples
R. Patel and K. Singh Patel (Raipur, India) . . . . . 923

Effects of organic and aqueous solvents on the electronic absorption and fluorescence of chloroaluminum (III) tetra sulphonated naphthalocyanine
L. Evans, III and G. Patonay (Atlanta, GA, USA) . . . . . 933
Sequential metal vapor elution analysis for the determination of Cu and Mn in biological materials and waters
K. Ohta, H. Uegomori, S. Kaneco and T. Mizuno (Mie, Japan) . . . . . 943
Solubilities of some recently synthesized 1,8-dihydroxy-9,10-anthraquinone derivatives in supercritical carbon dioxide
M.R. Fat'hi, Y. Yamini, H. Sharghi and M. Shamsipur (Tehran, Iran) . . . . . 951
Determination of trace metals in waters and compost by on-line precipitation coupled to flame atomic absorption spectrophotometry or ion chromatography
A. Martín-Esteban, R.M. Garcinuño (Madrid, Spain), S. Angelino (Torino, Italy), P. Fernández and C. Cámara (Madrid, Spain) . . . . . 959
Simultaneous detection of monovalent anions and cations using all solid-state contact PVC membrane anion and cation-selective electrodes as detectors in single column ion chromatography
I. Isildak and A. Asan (Samsun, Turkey) . . . . . 967

*Short communication*
Quantitative determination of the non-entrapped chlorothiazide in the presence of liposomes using differential pulse polarography
C.G. Kontoyannis, S.G. Antimisiaris and D. Douroumis (Patras, Greece) . . . . . 979

Book reviews . . . . . 985
Announcement . . . . . 993

**No. 5** **May 1999**

*Editorial* . . . . . 995

*Regular papers*
Continuous monitoring for cyanide in waste water with a galvanic hydrogen cyanide sensor using a purge system
H. Hachiya, S. Ito (Tokyo, Japan), Y. Fushinuki (Kagoshima, Japan), T. Masadome, Y. Asano and T. Imato (Fukuoka, Japan) . . . . . 997
Determination of nitric oxide with ultramicrosensors based on electropolymerized films of metal tetraaminophthalocyanines
J. Jin, T. Miwa (Gifu, Japan), L. Mao, H. Tu and L. Jin (Shanghai, People's Republic of China) . . 1005
A new resin containing benzimidazolylazo group and its use in the separation of heavy metals
D. Das, A.K. Das and C. Sinha (Burdwan, India) . . . . . 1013
Analysis of ephedrine in ephedra callus by acetonitrile modified capillary zone electrophoresis
G. Li, Z. Zhang, X. Chen, Z. Hu (Lanzhou, People's Republic of China), Z. Zhao and M. Hooper (Churchill, Australia) . . . . . 1023
Optimal conditions and sample storage for the determination of $H_2O_2$ in marine waters by the scopoletin–horseradish peroxidase fluorometric method
L.-S. Zhang and G.T.F. Wong (Norfolk, VA, USA) . . . . . 1031
Selective spectrophotometric determination of palladium(II) with 2(5-nitro-2-pyridylazo)-5-(*N*-propyl-*N*-3-sulfopropylamino)phenol(5-$NO_2$-PAPS) and tartaric acid with 5-$NO_2$-PAPS-niobium(V) complex
I. Mori, T. Kawakatsu, Y. Fujita and T. Matsuo (Osaka, Japan) . . . . . 1039
Chloromethylstyrene encapsulated and quaternized silica anion exchanger in high performance liquid chromatography
R. Yang, S. Jiang, X. Liu and L. Chen (Lanzhou, People's Republic of China) . . . . . 1045
Determination of nickel, chromium and cobalt in wheat flour using slurry sampling electrothermal atomic absorption spectrometry
M. González, M. Gallego and M. Valcárcel (Córdoba, Spain) . . . . . 1051

Stopped-flow determination of dipyridamole in pharmaceutical preparations by micellar-stabilized room temperature phosphorescence
A. Muñoz de la Peña, A. Espinosa Mansilla (Badajoz, Spain), J.A. Murillo Pulgarín, A. Alañón Molina and P. Fernández López (Ciudad Real, Spain) . . . . . 1061
Sensitive spectrofluorimetric determination of ruthenium at nanotrace levels using 2-(α-pyridyl) thioquinaldinamide [PTQA]
B.K. Pal (Calcutta, India) and M. Sahedur Rahman (Rajshahi, Bangladesh) . . . . . 1075
Spectrophotometric method for determination of vanadium and its application to industrial, environmental, biological and soil samples
M.J. Ahmed and S. Banoo (Chittagong, Bangladesh) . . . . . 1085
Investigation on the binding site in heparin by spectrophotometry
Q.C. Jiao, Q. Liu, C. Sun and H. He (Nanjing, People's Republic of China) . . . . . 1095
Examination of dodecylpyridinium chloride as a potentially selective fluorescence quenching agent for discriminating between alternant versus nonalternant polycyclic aromatic hydrocarbons
S. Pandey, L.E. Roy, W.E. Acree, Jr. (Denton, Texas, USA) and J.C. Fetzer (Richmond, California, USA) . . . . . 1103
Reaction of aluminium chloride with poly(divinyl benzene) particles—a reaction kinetic study using infrared spectroscopy
A.A. Christy (Bergen, Norway), A.K. Nyhus (Trondheim, Norway), O.M. Kvalheim (Bergen, Norway), S. Hagen and J.S. Schanche (Lillestrøm, Norway) . . . . . 1111
Chromium speciation in natural waters using serially connected supported liquid membranes
N.-K. Djane, K. Ndung'u, C. Johnsson, H. Sartz, T. Tornstrom and L. Mathiasson (Lund, Sweden) . . . . . 1121
The study of the partitioning mechanism of methyl orange in an aqueous two-phase system
Y. Akama (Tokyo, Japan), A. Tong (Beijing, China), M. Ito and S. Tanaka (Tokyo, Japan) . . . . . 1133
A new construction for a potentiometric, enantioselective membrane electrode—its utilization to the *S*-captopril assay
R.-I. Stefan, J.K.F. van Staden (Pretoria, South Africa) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 1139
The spectrophotometric multicomponent analysis of a ternary mixture of ascorbic acid, acetylsalicylic acid and paracetamol by the double divisor-ratio spectra derivative and ratio spectra-zero crossing methods
E. Dinç (Ankara, Turkey) . . . . . 1145
Potentiometric study of Cd(II) and Pb(II) complexation with two high molecular weight poly(acrylic acids); comparison with Cu(II) and Ni(II)
C. Morlay, M. Cromer, Y. Mouginot and O. Vittori (Villeurbanne, France) . . . . . 1159
Selective transport of silver ions through bulk liquid membrane using Victoria blue as carrier
A. Safavi and E. Shams (Shiraz, Iran) . . . . . 1167
Nickel determination in saline matrices by ICP-AES after sorption on Amberlite XAD-2 loaded with PAN
S.L.C. Ferreira, C.F. de Brito, A.F. Dantas, N.M. Lopo de Araújo and A.C.S. Costa (Bahia, Brazil) . . 1173
Application of packed column supercritical fluid chromatography to the simultaneous determination of seven anticonvulsant drugs
I.C. Bhoir, S.T. Patil and M. Sundaresan (Mumbai, India) . . . . . 1179
Determination of stability constants of complexes of $M_iK_jH_kL$ type in concentrated solutions of mixed salts
D. Janecki, K. Doktór and T. Michałowski (Cracow, Poland) . . . . . 1191

*Short communications*
Determination of paracetamol in dosage forms by non-suppressed ion chromatography
J.L. Pérez and M. Angel Bello (Seville, Spain) . . . . . 1199
Microwave-assisted extraction of $C_{60}$ and $C_{70}$ from fullerene soot
M.J. Youngman and D.B. Green (Malibu, USA) . . . . . 1203

Book Reviews . . . . . 1207
Announcements . . . . . 1217
Volume contents . . . . . 1221
Author index . . . . . 1229
Subject index . . . . . 1233